

Hakomatic B 100 R



Slim line, manoeuvrable,
efficient.

Contract
Cleaning

Hakomatic B 100 R

The advantages decide.

Developed for tough industrial applications with high area performance and high cleaning performance in confined areas, these ride-on floor cleaning machines of 65 cm size, are designed for efficient and problem-free work. ①

- As a result of the narrow, compact construction they fit through practically every doorway ② and are also ideally suited for use in restricted applications e.g. turning ③ in narrow corridors or for supermarket check-out aisles. ④
- With a steering lock of 90° to both sides it is possible to turn in aisles with a width starting from 155 cm.

- Available as an option, the hand tool is used to clean places, which are difficult to access. ⑤
 - The new parabolic squeegee ensures an excellent suction result even when negotiating corners and on problem floors. ⑥
- Further advantages:
- Service-friendly access by easy tipping of the dirty water tank.
 - Automatic squeegee lift in reverse mode.
 - Hako Aqua Control System.
 - Choice of cleaning programme with increased pressure.





3



4

- Available with the option of cylindrical brush or plate brushes (working width 65 cm).
- As a result of the combination of cylindrical brush and dirt hopper no longer necessary to sweep in advance.
- Quicker change of plate brushes/ cylindrical brush respectively without the need for tools. ⑦



7



7



8

- Modern and ergonomically designed work place. ⑧
- The self-explanatory, operator-friendly operation guarantees minimum training times.

- Adjustable driver's seat for fatigue-free work, optimum view of the areas to be cleaned.



9

Large clean and dirty water tank with integrated clean water filling level indicator. ⑨



10

- Service-friendly access to the batteries. ⑩



Hakomatic B 100 R

Technical Data.

Hakomatic		B 100 R P*	B 100 R C*
Working width	cm	65	65
Squeegee width	cm	85	85
Area performance, theoretical	m ² /h	4200	4200
Rated voltage	Volts	36 DC	36 DC
Number of brushes	Units	2	2
Working speed	km/h	6,5	6,5
Clean water tank	Litres	102	102
Dirty water tank	Litres	102	102
Width without/with squeegee	cm	60/85	60/85
Weight without battery	kg	280	280
Weight, wet with battery	kg	580	580
Total power/output	kW	2,23	2,42

* P = Plate brush version

* C = Cylindrical brush version



In the interest of technical progress we reserve the right to alter equipment without prior notice.

Everything speaks for Hako:



Cleanliness with safety.

Hako machine adhere to strict quality regulations/standards - "Quality made by Hako".

We also take care of what we sell - world-wide.

Sales, hire, leasing, rental.

With Hako, you can plan your capital expenditure on a completely individual basis. You can enter into short-term, medium-term or long-term agreements with regard to machine usage.

We are there for you day and night.

Round-the-clock service and express spare parts delivery - order today and have the parts tomorrow! So you can get on again as quickly as possible.

Close to you, wherever you are.

The unsurpassed close knit Hako sales and service network means we are always close at hand - a bonus when you need us. Convince yourself.

Hako
Clean ahead

Hako-Werke GmbH
Hamburger Straße 209-239
D-23843 Bad Oldesloe
Telephone: (0 45 31) 8 06-0
Telefax: (0 45 31) 8 06-3 38
e-mail: info@hako.com · www.hako.com



81-10-2187