



35 cm working width

**Cleaning performance: up to 1,400
m²/h**

Working close to edges

Scrubmaster E10/B10

Walk-behind scrubber-drier for small areas



Ideally suited for use in small areas and for cleaning structured floors and joints: Hako's electrically powered walk-behind scrubber-drier Scrubmaster E10. This machine is extremely compact and robust, particularly easy to handle and – thanks to its cleaning performance of up to 1,400 m²/h – highly economically efficient. The battery-powered version Scrubmaster B10 provides net runtimes of up to 30 minutes per battery system.

- **High scrubbing performance provided by two cylindrical brushes**
- **Easy working both in forward and reverse mode thanks to the machine's two squeegees**
- **Ergonomic, height-adjustable steering bar**
- **The collapsible steering bar allows space-saving storage and transport**



Working close to edges

The protruding cylindrical brush unit of the Scrubmaster E10/B10 enables working very close to edges, which saves laborious and time-consuming reworking. The dual-cylinder system cleans even structured floors and joints efficiently.

Special features

Designed with much attention to detail



Easy and intuitive operation: Thanks to easy-to-understand symbols.



High scrubbing performance thanks to two cylindrical brushes. Two squeegees provide easy working in forward and reverse mode.



Collapsible steering bar: For space-saving storage and transport.



Comfortable quick-change system: Fast and easy changing of the batteries, no tools needed. The battery packs are mounted on rollers.

Technical data

Scrubmaster E10/B10 at a glance

Scrubmaster		E10	B10
Working width scrubbing	cm	35	35
Theoretical area performance	m ² /h	1400	1400
Working speed	km/h	4	4
Brush system		cylindrical	cylindrical
Solution tank capacity	l	10	10
Recovery tank capacity	l	11	11
Nominal voltage	V	230	24
Total output	kW	1.45	0.92
Battery capacity, max.	Ah	-	25
Length with squeegee	cm	68.5	68.5
Width with/without squeegee	cm	45	45
Height above the seat (operating handle) cm		-	-
Weight, filled, incl. battery	kg	54	85