Cleaning Technology · Municipal Technology





PowerBoss Nautilus

Heavy-duty combi machine

Power and precision for the industry



Maximum performance for large areas

Extreme in every respect: in addition to offering outstanding performance in terms of efficiency and manoeuvrability, the heavy-duty machine PowerBoss Nautilus provides superior cleaning results. Thanks to its large capacity, the combi machine is the perfect choice when long hours of operation are required. Robust stainless-steel

components reduce the machine's maintenance costs.

And the integrated Power System comprising powerful hydraulic motors, anti-skid traction tyres and high suction turbine speeds ensures particularly efficient cleaning of industrial floors – even when it comes to removing the most stubborn dirt.

1-button operating system: all functions can be started or stopped at the push of a button. The scrubbing or sweeping functions are selected prior to starting the cleaning process. Individual functions as well as the water supply settings and the brush pressure can be adjusted during the cleaning process.



For professional cleaning results

Two powerful hydraulic motors drive two 114-cm cylindrical brushes at 425 rpm. The brush pressure can be infinitely adjusted from 91 to 181 kg in order to remove even the most stubborn dirt. The high-performance suction turbine provides completely dry floors immediately after cleaning to prevent the risk of slipping and allow forklift or foot traffic to travel safely behind the machine.



Equipped for large-scale operations: The PowerBoss Nautilus provides an area performance of up to 15,200 m² of cleaned floor space per hour.



Working in narrow aisles: thanks to its relatively small turning circle, the PowerBoss Nautilus can make a complete U-turn in aisles as small as 274 cm while the operator always has the surrounding traffic safely under control.

2

Excellent service and maintenance access

The engine cover can be removed without the need for tools, providing a 360°-access to the engine, the radiator, the hydraulic pump, the vacuum motor and the hydraulic tank as well as the machine's electronic systems to support the service technician in carrying out any maintenance work in a fast, easy and cost-effective manner.

The 1-button operating system provides easy operation of all functions.

Practical feature:

the hydraulic high dump.

up to two hours of continuous operation.

to enable regular visual checks or remove blockages with minimum effort.

Large solution and recovery tank for

Perfect overview

The squeegee folds up quickly and easily

Both the front axle steering and traction tyres ensure that U-turns in narrow aisles are no problem at all.

Two 114-cm cylindrical brushes powered by hydraulic motors provide superior cleaning results.

Heavy-duty stainless steel components


The following components are made of stainless steel as a standard:

- cylindrical scrub deck unit including the side maintenance doors and door hinges
- side and rear squeegee frame including all squeegee attachment bands
- dirt hopper



A clean solution: the large drain hose enables fast and easy draining of the recovered water. Two large openings at the top of the tank and a 20-cm revision flap provide easy access for cleaning the recovery tank. The squeegee is tilted up out of the way so that the dirt hopper can be removed from the machine. Now the hopper can be moved effortlessly using the Easy Roll Casters and the debris can be disposed of safely and easily using the two Safety Dump debris trays.





The squeegee tilts up to allow quick visual checks or easy changing of the sealing strips.





Side scrub unit.

Overhead guard.

Optional equipment

The PowerBoss Nautilus can be equipped with optional components to provide even safer, more comfortable and efficient working:

- Side scrub unit
- Overhead guard
- Safety lighting package
- Suspension seat

- Seat belt
- Back-up alarm
- On-board chemical dosing system
- Automatic filling system
- Spray and vacuum tool
- Holder for spare LPG tank

Technical data

Nautilus		
Cleaning width		
Working width	114 cm	
With optional side scrub unit	152 cm	
Main brushes		
Brush diameter	31 cm	
Brush length	114 cm	
Brush speed	425 rpm	
Brush pressure	91–181 kg	
Side scrub unit		
Brush diameter	41 cm	
Rotational speed	200 rpm	
Tanks		
Solution tank capacity	397 I	
Recovery tank capacity	397	
Two debris trays for easy dumping		
Material	plastic/stain- less steel	
Recovery tank, total capacity	64 I	
Suction van		
Speed	11,500 rpm	

	Tu
	en
	Dr
	Re
	Cli
	Cli
g	Fro
tain-	

Length	241 cm
Total weight with water, ready for use	2,177 kg
Turning radius	274 cm
engine	Kubota (LPG, Diesel)
Driving speed	12 km/h
Reverse speed	6.5 km/h
Climbing capability in drive mode	10 degrees
Climbing capability in work mode	8 degrees
Front tyres	16" x 6" profiled

OD: HK 310. 24/7 at your service: thanks to our close-knit sales and service network

> 650 service technicians are available Europe-wide. The close-knit service network has one key advantage: you can be sure that the workshop of one of our authorised service partners is always close by to carry out maintenance work fast and efficiently.





Hako Finance

Investing in modern technology while going easy on your liquidity: Hako Finance offers you different leasing or rental options to meet your individual requirements.

650 service technicians all across Europe – available around the clock.

Shape, colour and design of our products are subject to change in favour of further technical development. Pictures may show optional equipment.





Cleanliness combined with safety. Our machines meet the highest demands.

Hako: Environmentally friendly right from the start

It is our legacy to leave behind a clean planet. That is why resources-, environmental- and climate protection characterise each and every process at Hako which has been certified by independent institutions.

Everywhere and always in your vicinity

Our efficient sales and service network guarantees close proximity and rapid support.

Buying, leasing, renting

TUV NORD

TŪV NORD CERT

50 0001/14001/BS ON

We offer you a wide range of attractive individual financing and procurement options.

Available 24/7

Hako's on-call service and express spare part delivery guarantees maximum availability.



Partner of the Engineering Industry Sustainability Initiative

Hako GmbH Head Office Hamburger Str. 209-239 23843 Bad Oldesloe Tel. +49(0)4531-8060 info@hako.com www.hako.com